67 Church Street, Mt Ayliff, 4735 Tel: +27 (0)39 254 6000 Fax: +27 (0) 39 255 0167

Web: www.umzimvubu.gov.za



813 Main Street , Mount Frere P/ Bag 9020, M t Frere , 5090 Tel: +27 (0)39 255 8500 /166 Fax: +27 (0) 39 255 0167

BID NO: UMZ/2021-22/VULNERABLE WARD 01 (INFRA)		
CONSTRUCTION OF HOUSING INITIATIVE FOR	VULNERABLE	GROUP WARD 01

NAME OF BIDDER:
TENDER AMOUNT
CSD NUMBER:
CIDE CEADE.

Prepared by: Umzimvubu Local Municipality 813 Main Street Kwa-Bhaca 5090

Tel: (039) 255 8500

BID CLOSING DATE 30 September 2021



UMZIMVUBU LOCAL MUNICIPALITY

CONSTRUCTION OF HOUSING INITIATIVE FOR VULNERABLE GROUP WARD 01: UMZ/2021-22/VULNERABLE WARD 01 (INFRA)

Duly completed bids and supporting documents must be deposited in the bid box situated at the Supply Chain Management Office 813 Main Street, Kwa-Bhaca 5090 not later than **12:h00 on the 30 September 2021**.

Enquiries

Technical enquiries: Mr. L. Mbozani at Mbozani.Lakhe@umzimvubu.gov.za and Telephone No: 039 255 8500. Supply Chain Management enquiries: Mr. Themba Mbukushe email: Mbukushe.Themba@umzimvubu.gov.za

Bids will remain valid for a period of 90 days after the closing date. Bids received after the closing date and time will not be considered. Umzimvubu Local Municipality does not bind itself to accept the lowest or any other bid in whole or in part.

67 Church Street, Mt Ayliff, 4735 Tel: +27 (0)39 254 6000

Fax: +27 (0) 39 255 0167 Web : www.umzimvubu.gov.za



813 Main Street , Mount Frere P/ Bag 9020, M t Frere , 5090 Tel: +27 (0)39 255 8500 /166 Fax: +27 (0) 39 255 0167

LIST OF RETURNABLE DOCUMENTS THAT SHOULD FORM PART OF BID DOCUMENT

1.	Advertisement	
3.	Invitation to Bids	MBD 1
5	Pricing Schedule – Firm Prices (Purchases)	MBD 3.1
7.	Declaration of Interest	MBD 4
8.	Preferential Points Claim	MBD 6.1
9.	Declaration of past supply chain Management practice	MBD 8
11.	Certificate Of Independent Bid Determination	MBD 9
12.	Company registration certificate	
13.	Tax Clearance certificate or pin	
14.	BBBEE Certificate	
15.	Rates and Taxes	
16.	Very important notice of disqualifications	
		1
17.	Bill of Quantities	

67 Church Street, Mt Ayliff, 4735 Tel: +27 (0)39 254 6000 Fax: +27 (0) 39 255 0167

Web : www.umzimvubu.gov.za



813 Main Street , Mount Frere P/ Bag 9020, M t Frere , 5090 Tel: +27 (0)39 255 8500 /166 Fax: +27 (0) 39 255 0167

ADVERTISING DATE: 16 September 2021 UMZ/2021-22/VULNERABLE WARD 01 (INFRA)

SERVICE PROVIDER TO PROVIDE SERVICES FOR THE CONSTRUCTION OF VULNERABLE HOUSE IN WARD 01

Bidders are hereby invited to submit proposals/Quotations for service provider to provide services for the construction of vulnerable house in ward 01 as per BoQ.

MANDATORY DOCUMENTS TO BE SUBMITTED FAILURE TO DO SO WILL LEAD TO BE NON RESPONSIVE.

Umzimvubu Local Municipality Supply Chain Management will apply. A confirmation from SARS with a verification pin, CIDB grading 1GB, copy of company Registration/Founding Statement/CIPC Documents. Certified BBBEE certificate and a combined BBBEE for a joint venture (non-elimination item). JV Agreement for Joint venture. 80/20 evaluation criteria. Prices quoted must be firm and must be inclusive of VAT for vat vendors. Certified ID Copies of Managing Directors/ Owners. CSD Registration, Invitation to bid, very important notice on disqualification and MBD forms 4, 8 and 9 are compulsory submission and Billing Clearance certificate or Statement of Municipal Accounts or proof of residence with signed declaration or lease agreement. Certified copies of Certificates must not be later than 90 days of closing date, bidders must use or submit quotation documents prepared and issued by the municipality. No faxed, e-mailed and late tenders will be accepted. Umzimvubu Local Municipality reserves the right not to appoint and value for money will be the key determinant. All quotation must be deposited in the quotation box situated at Umzimvubu Local Municipality Offices at SCM office 813 Main Street, Mt Frere not later than 12h00 noon on 30 September 2021. All tenders must be clearly marked "Name of the project or Reference number". All service providers must be registered on CSD and submit proof. The municipality will not make award any award to a person or persons working for the state.

Enquiries: All technical enquiries may be directed to Mr. L. Mbozani & Mr Mbukushe (SCM Manager) 039 255 8500 Mbukushe.Themba@umzumvubu.gov.za

Other enquiries regarding this Bid may be directed to the office of the Municipal Manager:

Attention: Mr G.P.T Nota

813 Main Street or P/Bag X9020

MT FRERE

5090

GPT NOTA (MUNICIPAL MANAGER)

67 Church Street, Mt Ayliff, 4735 Tel: +27 (0)39 254 6000 Fax: +27 (0) 39 255 0167

Web : www.umzimvubu.gov.za



813 Main Street , Mount Frere P/ Bag 9020, M t Frere , 5090 Tel: +27 (0)39 255 8500 /166 Fax: +27 (0) 39 255 0167

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (UMZIMVUBU LOCAL MUNICIPALITY)

BID NUMBER:	UMZ/2021-22/VULNI	ERABLE WARD 01 (IN	NFRA)	(CLOSIN	IG DATE: <mark>30 Se</mark>	eptember 202	21 CLOSING 7	ΓΙΜΕ:12H00
DESCRIPTION	SERVICE PROVI	DER TO PROVIDE SE	ERVICES FOR	THE C	ONSTR	UCTION OF VI	JLNERABL	E HOUSE IN	WARD 01
THE SUCCESSF	UL BIDDER WILL BE	REQUIRED TO FILL	IN AND SIGN	A WRI	TTEN C	ONTRACT FO	RM (MBD7)).	
BOX SITUATED A	T (STREET ADDRES		BID						
	CAL MUNICIPALITY								
(Tender Box at th	ie SCIVI Office)								
813 Main Street									
Kwa-Bhaca									
5090									
Eastern Cape SUPPLIER INFO	RMATION								
NAME OF BIDDE									
POSTAL ADDRE									
STREET ADDRE	ESS								
TELEPHONE NU	IMBER	CODE				NUMBER			
CELLPHONE NU	IMBER								
FACSIMILE NUM	IBER	CODE				NUMBER			
E-MAIL ADDRES	S								
VAT REGISTRAT	TION NUMBER					.			
TAX COMPLIANO	CE STATUS	TCS PIN:			OR	CSD No:			
B-BBEE STATUS		Yes				E STATUS	Yes		
VERIFICATION CE [TICK APPLICAB		No				L SWORN DAVIT	No		
ΙΛ R-RREE STAT	TIIS I EVEL VEDIEICA	<u> </u> TION CERTIFICATE/ S	WORN AFFID	AVIT (E	OP EM	FS & OSFs) MI	IST RE SIII	RMITTED IN O	PDER TO
	REFERENCE POINTS		WORN ALLID	AVII (I		ŕ			NDLN 10
ARE YOU THE A	CCREDITED					YOU A FOREIG ED SUPPLIER	N		
REPRESENTATI		Yes	No			THE GOODS	Yes		No
AFRICA FOR TH						VICES /WORKS	1		
/SERVICES /WOR	RKS OFFERED?	[IF YES ENCLOSE F	PROOF		OFF	ERED?	[I⊩ Y	ES, ANSWER	RPART B:3]
TOTAL NUMBER	OE ITEMS								
OFFERED	OF ITEWIS				TOT	AL BID PRICE	R		
SIGNATURE OF	BIDDER				DAT	F			
CAPACITY UNDE	ER WHICH THIS BID				1 DVI	-	l		
BIDDING PROCE	EDURE ENQUIRIES N	AY BE DIRECTED TO	D:	TECHI	NICAL	INFORMATION	MAY BE D	IRECTED TO	:
DEPARTMENT		Supply Chain				ERSON		Mbozani	
CONTACT PER		Mbukushe Themba				NUMBER	039 255	8500	
TELEPHONE NU		039 255 8500				IUMBER		<u> </u>	
FACSIMILE NUM		-		E-MAII	L ADDF	RESS	Mbozani	.Lakhe@umzi	mvubu.gov.za
E-MAIL ADDRES	S	mbukushe.themba@)umzimvubu.a						

PART B TERMS AND CONDITIONS FOR BIDDING

1	R	חו	SI	IIR	M	ISSI	ON	١

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR ONLINE
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 21 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
- 2.5 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.6 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 27 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

3.1. IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? 3.2. DOES THE ENTITY HAVE A BRANCH IN THE RSA? 3.3. DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? 3.4. DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO YES NO

YES

NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE

3.5. IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS	
SIGNED: DATE:	

PRICING SCHEDULE – FIRM PRICES (PURCHASES)

NOTE:

ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name c	of Bidder Bid N	umber
Closing	TimeClosir	ng Date
OFFER	R TO BE VALID FORDAYS FROM THE C	LOSING DATE OF BID.
ITEM NO.	QUANTITY DESCRIPTION	BID PRICE IN RSA CURRENCY ** (ALL APPLICABLE TAXES INCLUDED)
-	Required by:	
-	At:	
-	Brand and Model	
-	Country of Origin	
-	Does the offer comply with the specification(s)?	*YES/NO
-	If not to specification, indicate deviation(s)	
-	Period required for delivery	*Delivery: Firm/Not firm
-	Delivery basis	

Note: All delivery costs must be included in the bid price, for delivery at the prescribed destination.

^{** &}quot;all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

DECLARATION OF INTEREST

- 1. No bid will be accepted from persons in the service of the state*.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest.

3 sub i	In order to give effect to the above, the following questionnaire must be completed omitted with the bid.	l and
3.1	Full Name:	
3.2	Identity Number:	
3.3	Company Registration Number:	
3.4	Tax Reference Number:	
3.5	VAT Registration Number:	
	e names of all directors / trustees / shareholders members, their individual identity mbers and state employee numbers must be indicated in paragraph 4 below.	
3.8	Are you presently in the service of the state?	S/NO
	3.8.1 If yes, furnish particulars.	
(a) (b) (c) (d) (e) Pa	SCM Regulations: "in the service of the state" means to be — a) a member of — (i) any municipal council; (ii) any provincial legislature; or (iii) the national Assembly or the national Council of provinces; b) a member of the board of directors of any municipal entity; c) an official of any municipality or municipal entity; d) an employee of any national or provincial department, national or provincial public entity institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of e) a member of the accounting authority of any national or provincial public entity; or(f) Ar arliament or a provincial legislature. Shareholder" means a person who owns shares in the company and is actively involved in the the company or business and exercises control over the company.	1999); n employee of
	3.9 Have you been in the service of the state for the past twelve months?	
	3.10 Do you have any relationship (family, friend, other) with persons	

	Capacity	Na:	me of Bidder	
	Signature		Date	
	Full Name	Identity Number	State Employee Number	
4.	Full details of directors / trustees /			
	3.14.1 If yes, furnish particulars:			
3.14	Do you or any of the directors, trusted Principle shareholders, or stakeholders any interest in any other relations are bigginess whether or not they are bigginess.	lders of this company ted companies or	YES / N	IO
	3.13.1 If yes, furnish particulars.			
3.13	Are any spouse, child or parent of t Trustees, managers, principle sha In service of the state?		YES / N	Ю
	3.12.1 If yes, furnish particulars.			
3.12	Are any of the company's directors Principle shareholders or stakehold		YES / NO	o
	3.11.1 If yes, furnish particulars			
3.11	Are you, aware of any relationship and any other bidder and any persons May be involved with the evaluation	in the service of the state v	vho)
	3.10.1 If yes, furnish particulars.		12071	••
	The evaluation and or adjudicati	on of this bid?	YES / N	10

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF BBBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1 GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
 - The 80/20 system for requirements with a Rand value of up to R50 000 000 (all Applicable taxes included); and
 - The 90/10 system for requirements with a Rand value above R50 000 000 (all Applicable taxes included).

1.2

- 1.3 Points for this bid shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor Together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated Or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.2

2 DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised

competitive bidding processes or proposals;

- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "Functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "Prices" includes all applicable taxes less all unconditional discounts;
- (h) "Proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "Rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3 POINTS AWARDED FOR PRICE

3.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis: **80/20 or 90/10**

$$Ps.80$$
 or $Ps.90.1$ $Pt.P.min$

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmin = Price of lowest acceptable bid

4 POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, Preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (90/10 system)	Number of points (80/20 system)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

5. BID DECLARATION	١	ı
--------------------	---	---

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must Complete the following:

6.	B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS O	F
	PARAGRAPHS 1.4 AND 4.1	

6.1	B-BBEE Status Level of Contributor: . = (maximum of 10 or 20 points)
	(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in
	paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING

<i>[</i> .]	Will any portion of the contract be sub-	·contracted?
-------------	--	--------------

(Tick applicable box)					
	YES		ОИ		

_		,			
7.	1 .	1 I+ \	ves, iı	$\sim \sim 10$	~~+~·
,			/ 	10 110	-a

i)	What	percentage	of	the	contract	will	be
•	Subcontra	acted		%			
ii)	The nai	me of the sub-cont	ractor				
iii)	The B-E	BBEE status level o	of the sub	-contracto	r		
iv)	Whethe	er the sub-contracto	or is an E	ME or QS	E		
•	(Tick ap	plicable box)					
	YES	NO					

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations,2017:

Designated Group: An EME or QSE which is at last 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OB		

Any Any	
7 1119	QOL
	DECLARATION WITH REGARD TO COMPANY/FIRM
8.	Name
8.1	c o m p a n y / f i r m registration
8.2	VAT number: registration
8.3	Company number:
8.4	TYPE OF COMPANY/ FIRM
8.5	Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited [TICK APPLICABLE BOX] DESCRIBE PRINCIPAL BUSINESS ACTIVITIES GOMPANY CLASSIFICATION Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc.
	[TICK APPLICABLE BOX]
8.7	MUNICIPAL INFORMATION Municipality where business is situated: Registered Account Number:
8.8	Total number of years the company/firm has been in business.
8.9	I/we, the undersigned, who is / are duly authorized to do so on behalf of the Company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favorable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) Forward the matter for criminal prosecution.

	7
WITNESSES	
1.	
2. SIGNATURE(S) OF BIDDERS(S)	
DATE:	
ADDRESS	

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?	Yes	No
	(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).		
	The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.		
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes	No
4.2.1	If so, furnish particulars:		

4.3	Was the bidder or any of its directors convicted by a court of law outside the Republic of South Africa) for fraud or corrupting years?		Yes	No 🗌
4.3.1	If so, furnish particulars:			
Item	Question		Yes	No
4.4	Does the bidder or any of its directors owe any municipal rate municipal charges to the municipality / municipal entity, or to / municipal entity, that is in arrears for more than three month	any other municipality	Yes	No 🗆
4.4.1	If so, furnish particulars:			
4.5	Was any contract between the bidder and the municipality / mother organ of state terminated during the past five years on ac perform on or comply with the contract?		Yes	No 🗆
4.7.1	If so, furnish particulars:			
CER DEC	CERTIFICATION CERTIFICATION CERTIFICATION FURNISHED (FULL NAME)	O ON THIS	ACT, A	ACTION N
TAK	EN AGAINST ME SHOULD THIS DECLARAT	ON PROVE TO BE		Е.
Signa	ature	Date		
Posit	ion	Name of Bidder	••••	

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
 - This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bidrigging.
 - In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:	
(Bid Number and Description)	
in response to the invitation for the bid made by	
(Name of Municipality / Municipal Entity)	
do hereby make the following statements that I certify to be true and complete in	every respect
I certify, on behalf of	that:
(Name of Diddon)	

- (Name of Bidder)
- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder:
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder

MBD9

6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However

communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

¹ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature	Date
Position	Name of Bidder

VERY IMPORTANT NOTICE ON DISQUALIFICATIONS:

A bid not complying with the peremptory requirements stated hereunder will be regarded as not being an "Acceptable bid", and as such will be rejected.

"Acceptable bid" means any bid which, in all respects, complies with the conditions of bid and specifications as set out in the bid documents, including conditions as specified in the Preferential Procurement Policy Framework Act (Act 5 of 2000) and related legislation as published in Government Gazette number 22549, dated 10 August 2001, in terms of which provision is made for this policy.

- 1. If any pages have been removed from the bid document, and have therefore not been submitted, or a copy of the original bid document has been submitted.
- 2. If the bid document is completed using a pencil. Only black ink must be used to complete the bid document.
- 3. The bidder attempts to influence, or has in fact influenced the evaluation and/or awarding of the contract.
- 4. The bid has been submitted after the relevant closing date and time.
- 5. If any bidder who during the last five years has failed to perform satisfactorily on a previous contract with the municipality, municipal entity or any other organ of state after written notice was given to that bidder that performance was unsatisfactory.
- 6. The accounting officer must ensure that irrespective of the procurement process followed, no award may be given to a person
 - (a) who is in the service of the state, or;
 - (b) if that person is not a natural person, of which any director, manager, principal shareholder or stakeholder, is a person in the service of the state; or;
 - (c) Who is an advisor or consultant contracted with the municipality in respect of contract that would cause a conflict of Interest.
- 7. Bid offers will be rejected if the bidder or any of his directors is listed on the Register of Bid Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector
- 8. Bid offers will be rejected if the bidder has abused the Umzimvubu Local Municipality Supply Chain Management System.
- 9. Failure to complete and sign the certificate of independent determination or disclosing of wrong information. Failure to submit the above will lead to immediate disqualification.

								-				-			-			-					
S	IC	Λ	14	١T	Ū	R	RΕ	:	O	F	-	Т	E	١	1[כ	Е	F	?	E	F	?	

1

Bill of Quantities

Item	Description	Uom	Quantity	Rate	Amount
	GENERAL NOTES				
A	Tenderers are advised to visit the site before tendering and satisfy themselves as to the nature and extent of the works, means of access to the site and availability of working space. No claims will be entertained due to the tenderer having failed to comply with the above tenderer having failed to comply with this conditions.	Notes			
В	The descriptions in the items are given as a guide and to assist Contractors in tendering, but are not necessarily accurate or complete. Contractors must verify the items by personal inspection on the site.	Notes			
	Procedure of work;				
D	The Project Manager reserves the right to direct the order in which the contract will be executed, should circumstances necessitate such action.	Notes			
	Loss by theft, fire or otherwise;				
Е	The risk of loss by theft, fire, storm, riot or otherwise of the materials therein shall rest entirely with the Contractor immediately upon the handing over of the site. S/he shall take steps as s/he may deem fit for his own protection against such loss.	Notes			
F	The descriptions in the items are given as a guide and to assist Contractors in tendering, but are not necessarily accurate or complete. Contractors must verify the items by personal inspection on the site.	Notes			
G	The JBCC Series 2000 Principal Building Agreement cantract conditions and Preliminaries shall be applicable to this contract	Notes			
	BILL NO.1 : PRELIMINARIES				
		1	l	1	

1	Contractor's indirect cost on site related to the execution of this work and General Obligation (fixed, value and time related to not execeed 10% of the value for carrying out this work)	Item	1.00	
	DUIL DING STRUCTURE			
	BUILDING STRUCTURE			
	BILL NO.1 : FOUNDATIONS			
	EXCAVATION, FILLING, ETC OTHER THAN BULK			
	Excavation in earth not exceeding 2m deep:			
1	Transhas	m3	28.00	
1	Trenches.	m³	20.00	
	Extra over trench and hole excavations in earth for excavation in:			
2	Soft rock.	m³	2.00	
3	Hard rock.	m³	1.00	
	Extra over all excavations for carting away:			
4	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the Contractor.	m³	9.00	
	Risk of collapse of excavations:			
5	Sides of trench and hole excavations not exceeding 1,5m deep.	m²	80.00	
	Keeping excavations free of water:			
6	Keeping excavations free of all water other than subterranean water.	Item	1.00	
	Earth filling obtained from the excavations and/or prescribed stock piles on site :			

				,
7	Backfilling to trenches, holes, etc.	m³	19.00	
	Earth filling supplied by the Contractor compacted to 98%:			
8	Under floors, steps, pavings, etc.	m³	16.00	
	SOIL POISONING			
9	Approved brand of anti-termite soil poison applied by a Registered Pest Control company and guaranteed against termite infestation for ten years:			
10	Under floors, etc., including forming and poisoning shallow furrows against foundation walls, etc., filling in furrows and ramming.	m²	Rate Only	
	Carried to Collection			
	BILL NO.2 : CONCRETE, FORMWORK AND REINFORCEMENT			
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES			
	15Mpa/19mm Concrete in:			
1	Strip footings.	m³	7.00	
	20Mpa/19mm Concrete in:			
	Curface hade an automate "		4.00	
2	Surface beds on waterproofing.	m³	4.00	
3	Steps, ramps etc	m³	2.00	
	Ctops, rumps etc	111	2.00	
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES			
	FINISHING TOP SURFACE OF CONCRETE			

			1	T T
	Finishing top surfaces of concrete smooth with a wood float:			
4	Surface beds, slabs, etc.	m²	40.00	
	ROUGH FORMWORK (DEGREE OF ACCURACY II) (CPAP Work Group No 111)			
	,			
_	Ctons	2	2.00	
5	Steps.	m²	2.00	
6	Risers.	m	1.00	
	REINFORCEMENT (PROVISIONAL) (CPAP Work Group No 114)			
	High tensile steel reinforcement to structural concrete work:			
7	REF. 193 fabric reinforcement in concrete surface beds, slabs, etc.	m²	40.00	
	Carried to Collection			
	Carried to Concention			
	BILL NO.3 : MASONRY			
	BRICKWORK			
	Sizes in descriptions:			
	Where sizes in descriptions are given in brick units, 'one brick' shall represent the length and 'half brick' the width of a brick.			
	BLOCK WALL IN FOUNDATIONS (PROVISIONAL)			
	M6 size 390 x 140 x 190mm high of concrete blocks 7.8Mpa strength laid in Class I mortar			
1	In foundations.	m²	40.00	

M6 size 390 x 140 x 190mm high of concrete blocks 7.8Mpa strength laid in Class I mortar				
In superstructure	m²	110.00		
BRICKWORK SUNDRIES				
Brickwork reinforcement:				
75mm Wide reinforcement built in horizontally.	m	380.00		
150mm Wide reinforcement built in horizontally.	m	0.00		
Prestressed prefabricated lintels:				
110 x 75mm Lintels in lengths not exceeding 3m.	m	14.00		
FIBRE CEMENT WINDOW SILLS:				
Everite Nutec' fibre cement window sills in single lengths not exceeding 3.6m bedded in class 1 cement mortar including fixing lugs screwed to underside withself tapping screws:				
15 x 150mm Wide sills set sloping and slightly projecting.	m	4.00		
Carried to collection				
BILL NO.4 : WATERPROOFING				
DAMPPROOFING OF WALLS AND FLOORS				
One layer of 375 micron Consol Plastics Brikgrip DPC embossed damp proof course:				
In walls.	m²	2.00		
	In superstructure BRICKWORK SUNDRIES Brickwork reinforcement: 75mm Wide reinforcement built in horizontally. 150mm Wide reinforcement built in horizontally. Prestressed prefabricated lintels: 110 x 75mm Lintels in lengths not exceeding 3m. FIBRE CEMENT WINDOW SILLS: Everite Nutec' fibre cement window sills in single lengths not exceeding 3.6m bedded in class 1 cement mortar including fixing lugs screwed to underside withself tapping screws: 15 x 150mm Wide sills set sloping and slightly projecting. Carried to collection BILL NO.4: WATERPROOFING DAMPPROOFING OF WALLS AND FLOORS One layer of 375 micron Consol Plastics Brikgrip DPC embossed damp proof course:	concrete blocks 7.8Mpa strength laid in Class I mortar In superstructure m² BRICKWORK SUNDRIES Brickwork reinforcement: mm horizontally. 150mm Wide reinforcement built in horizontally. Prestressed prefabricated lintels: mm horizontally. Prestressed prefabricated lintels: mm horizontally. FIBRE CEMENT WINDOW SILLS: Everite Nutec' fibre cement window sills in single lengths not exceeding 3.6m bedded in class 1 cement mortar including fixing lugs screwed to underside withself tapping screws: 15 x 150mm Wide sills set sloping and slightly projecting. Carried to collection BILL NO.4: WATERPROOFING DAMPPROOFING OF WALLS AND FLOORS One layer of 375 micron Consol Plastics Brikgrip DPC embossed damp proof course:	In superstructure m² 110.00 BRICKWORK SUNDRIES Brickwork reinforcement: m 380.00 75mm Wide reinforcement built in horizontally. 150mm Wide reinforcement built in horizontally. Prestressed prefabricated lintels: m 14.00 Prestressed prefabricated lintels: m 14.00 FIBRE CEMENT WINDOW SILLS: Everite Nutec' fibre cement window sills in single lengths not exceeding 3.6m bedded in class 1 cement mortar including fixing lugs screwed to underside withself tapping screws: 15 x 150mm Wide sills set sloping and slightly projecting. DAMPPROOFING OF WALLS AND FLOORS One layer of 375 micron Consol Plastics Brikgrip DPC embossed damp proof course:	concrete blocks 7.8Mpa strength laid in Class I mortar In superstructure

	One layer of 250 micron Consol Plastics Gunplas USB Green waterproof sheeting sealed at laps with Gunplas Pressure Sensitive Tape:			
2	Under surface beds.	m²	41.00	
	Carried to collection			
	BILL NO.5 : ROOF COVERINGS			
	CORRUGATED METAL SHEETING AND ACCESSORIES (CPAP Work Group No 124)			
	0.4mm IBR profile sheeting			
	0.4mm IBN prome sneeting			
1	Roof covering with pitch not exceeding 25 degrees.	m²	52.00	
2	Ridge capping to match the roof covering colour.	m	7.20	
	Carried to collection			
	BILL NO.6 : CARPENTRY AND JOINERY			
	PREFABRICATED ROOF TRUSSES, ETC.			
	Plate nailed timber roof truss construction:			
	Sawn softwood:			
1	38 x 114mm Wall plates.	m	13.00	
2	38 x 114mm Rafters.	m	7.00	
3	50 x 76mm Cross bracing.(Provisional)	m	14.00	
4	50 x 76mm Purlins.	m	72.00	
5	50 x 76mm Splay cut purlins.	m	12.00	

6	Gangnail truss, 6080mm span x	No.	7.00	
	Gangnail truss, 6080mm span x 1215mm high overall with 300mm			
	eaves overhang projection on both sides.			
	0.000.			
	ROOF SUNDRIES			
	Sundries:			
_	4 5:		4400	
7	4mm Diameter roof tie 1.5m girth bent double with one end fixed to timber	No.	14.00	
	and other end built into brickwork 8			
	courses .			
	EAVES, VERGES, ETC			
	Everite PVC' barge boards:			
	Lverile FVC barge boards:			
9	80 x 200mm Socketless barge board , joined with PVC H profile joiners and screwed to sprocket ends.	m	14.00	
	joined with PVC H profile joiners and			
	coronea to oproduct origin			
	Everite FC77 pressed fibre-cement:			
10	15 x 225mm Fascias including	m	14.00	
	galvanised steel H-profile jointing strips fixed to rafterfeet.			
	FRAMED DOORS ETC			
	Wrought meranti doors:			
12	14x00mm Wrought margatificanced	<u></u>	20.00	
13	44x90mm Wrought meranti framed framing.	m	20.00	
	Brought Forward			
	Dioagnet of ward			
14	44mm Framed ledged and braced batten double door 1626 x 2032mm	No.	2.00	
	high high with fanlight.			
			1	
	Carried Forward			
	Brought Forward			
-				

	HOLLOW CORE FLUSH DOORS			
	HOLLOW CORE I LOGIT BOOKS			
	Hollow core flush doors with			
	Hollow core flush doors with commercial veneer:			
17	40mm Door 813 x 2032mm high.	No.	2.00	
	TOTAL DOG! OTO X 2002/IIII TIIgh.	110.	2.00	
	Corried to collection			
	Carried to collection			
	BILL NO.7 : CEILINGS PARTITIONS AND ACCESS FLOORING			
	NAILED UP AND SCREW UP			
	CEILINGS (CPAP Work Group No 126)			
	6.4mm "Rhino" gypsum			
	6.4mm "Rhino" gypsum plasterboard			
1	Horizontal ceilings including 38 x 38mm sawn softwood brandering at	m²	40.00	
	450mm centres			
2	Extra over ceiling for 600 x 600mm trap	No.	1.00	
	Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing with one 38 x 5mm sawn softwood cross brander covered			
	sawn softwood cross brander covered with ceiling board and fitted flush in			
	opening.			
	DECORATIVE MOULDINGS AND CORNICES (CPAP Work Group No			
	126)			
	Rhino' Moulded Gypsum Cornices:			
3	75mm Coved cornice.	m	52.00	
	Carried to collection			
	BILL NO. 8 : IRONMONGERY			
	IRONMONGERY			
	SUPPLEMENTARY PREAMBLES			
	OUTTLEWENTANT FREAMIDLES			
<u> </u>		<u> </u>		

	<u></u>		ı	1	
	Finishes to ironmongery:				
	HINGES. FLOOR SPRING HINGES.				
	HINGES, FLOOR SPRING HINGES, BOLTS, PANIC BOLTS, ETC				
	Solid:				
1	110mm Brass hinge with nylon washers.	No.	8.00		
	CATCHES CARBUHOOKS FTO				
	CATCHES, CABIN HOOKS, ETC				
	LOCKS				
	Solid:				
5	Two lever rebated lockset.	No.	4.00		
	SUNDRIES				
8	32 mm Diameter black rubber door stop plugged to concrete floor.	No.	4.00		
	Carried to collection				
	BILL NO.9 : METALWORK				
	GALVANISED STEEL WINDOWS, DOORS, ETC.				
	Standard domestic windows :				
	-				
3	Window type C2H steel window frame size 533 x 949mm high (6 lights)	No.	4.00		
	Carried to collection				
	BILL NO.10 : PLASTERING				
	GRANOLITHIC				
	GNANOLITHIC				
	Untinted granolithic on concrete:				
L	Januarieu granomunic on concrete.	l	1	_1	l

1 20mm Thick on floors.			ı	_	1	
2 15mm Thick on treads and risers of stairs. 3 PLASTER Cement plaster on brickwork: 4 On internal walls. m² 98.00 5 In narrow widths. m² 2.00 6 On external wall Carried to Collection BILL NO.11 : TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cement motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors M² 40.00 2 On stairs M² 40.00 Alluminium edging strip; 3 On extl coners/angles m 8.00 BILL NO.12 : PLUMBING AND						
2 15mm Thick on treads and risers of stairs. 3 PLASTER Cement plaster on brickwork: 4 On internal walls. m² 98.00 5 In narrow widths. m² 2.00 6 On external wall Carried to Collection BILL NO.11 : TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cement motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors M² 40.00 2 On stairs M² 40.00 Alluminium edging strip; 3 On extl coners/angles m 8.00 BILL NO.12 : PLUMBING AND	1	20mm Thick on floors.	m²	40.00		
stairs. PLASTER Cement plaster on brickwork: 4 On internal walls. 5 In narrow widths. 6 On external wall Carried to Collection BILL NO.11: TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm cetamic floor tiles including grouting of tiles and cleaning of the inished work 1 On floors Alluminium edging strip: 3 On extl coners/angles m 8.00 BILL NO.12: PLUMBING AND						
stairs. PLASTER Cement plaster on brickwork: 4 On internal walls. 5 In narrow widths. 6 On external wall Carried to Collection BILL NO.11: TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm cetamic floor tiles including grouting of tiles and cleaning of the inished work 1 On floors Alluminium edging strip: 3 On extl coners/angles m 8.00 BILL NO.12: PLUMBING AND		45 mm Third and the state of the state of	2	4.00		
3 PLASTER Cement plaster on brickwork: 4 On internal walls. 5 In narrow widths. 6 On external wall Carried to Collection BILL NO.11 : TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cement motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors Alluminium edging strip: 3 On extl coners/angles m 8.00 BILL NO.12 : PLUMBING AND	2		m²	1.00		
Cement plaster on brickwork: 4 On internal walls. m² 98.00 5 In narrow widths. m² 2.00 6 On external wall m² 68.00 Carried to Collection BILL NO.11: TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic flore riles including grouting of lies and cleaning of the finished work 1 On floors m² 40.00 Sundries Alluminium edging strip: 3 On extl coners/angles m 8.00 BILL NO.12: PLUMBING AND						
Cement plaster on brickwork: 4 On internal walls. m² 98.00 5 In narrow widths. m² 2.00 6 On external wall m² 68.00 Carried to Collection BILL NO.11: TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic flore riles including grouting of lies and cleaning of the finished work 1 On floors m² 40.00 Sundries Alluminium edging strip: 3 On extl coners/angles m 8.00 BILL NO.12: PLUMBING AND	_					
4 On internal walls. m² 98.00 in narrow widths. m² 2.00 6 On external wall Carried to Collection BILL NO.11 : TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm cramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors Sundries Alluminium edging strip; Alluminium edging strip; CARRIED COLLECTION BILL NO.12 : PLUMBING AND	3	PLASTER				
4 On internal walls. m² 98.00 in narrow widths. m² 2.00 6 On external wall Carried to Collection BILL NO.11 : TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm cramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors Sundries Alluminium edging strip; Alluminium edging strip; CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
5 In narrow widths. m² 2.00 6 On external wall m² 68.00 Carried to Collection BILL NO.11: TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 Sundries Alluminium edging strip; Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12: PLUMBING AND		Cement plaster on brickwork:				
5 In narrow widths. m² 2.00 6 On external wall m² 68.00 Carried to Collection BILL NO.11: TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 Sundries Alluminium edging strip; Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12: PLUMBING AND						
5 In narrow widths. m² 2.00 6 On external wall m² 68.00 Carried to Collection BILL NO.11: TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 Sundries Alluminium edging strip; Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12: PLUMBING AND	4	On internal walls	m²	98.00		
6 On external wall m² 68.00 Carried to Collection BILL NO.11: TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12: PLUMBING AND		On internal walls.		30.00		
6 On external wall m² 68.00 Carried to Collection BILL NO.11: TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12: PLUMBING AND						
Carried to Collection BILL NO.11 : TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND	5	In narrow widths.	m²	2.00		
Carried to Collection BILL NO.11 : TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
BILL NO.11 : TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND	6	On external wall	m²	68.00		
BILL NO.11 : TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
BILL NO.11 : TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
BILL NO.11 : TILING CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND		Carried to Collection				
CERAMIC FLOOR TILING Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND		BILL NO.11 : TILING				
Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
Prepare surface and apply adhesive cemet motar and lay approximates 300 x 300mm ceramic floor tiles including grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND		CERAMIC FLOOR TILING				
grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12: PLUMBING AND						
grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12: PLUMBING AND						
grouting of tiles and cleaning of the finished work 1 On floors m² 40.00 2 On stairs m² 2.00 Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12: PLUMBING AND		cemet motar and lay approximates 300				
1 On floors		x 300mm ceramic floor tiles including				
1 On floors		finished work				
2 On stairs m² 2.00 Sundries						
2 On stairs m² 2.00 Sundries						
Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND	1	On floors	m²	40.00		
Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
Sundries Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND	2	On stairs	m²	2.00		
Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
Alluminium edging strip; 3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND		Sundring				
3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND		Gununes				
3 On extl coners/angles m 8.00 CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
CARRIED COLLECTION BILL NO.12 : PLUMBING AND		Alluminium edging strip;				
CARRIED COLLECTION BILL NO.12 : PLUMBING AND						
CARRIED COLLECTION BILL NO.12 : PLUMBING AND	3	On extl coners/angles	m	8.00		
BILL NO.12 : PLUMBING AND						
BILL NO.12 : PLUMBING AND						
BILL NO.12 : PLUMBING AND						
BILL NO.12 : PLUMBING AND		CARRIED COLLECTION				
BILL NO.12 : PLUMBING AND						
		BILL NO.12 : PLUMBING AND				
DRAINAGE		DRAINAGE				
			1	ı		47

	RAINWATER DISPOSAL			
	Watertite' Marley UPVC Gutter:			
1	100 x 75mm Eaves gutters.	m	14.00	
2	Extra over 100mm eaves gutter for stopped end.	No.	4.00	
3	Extra over100mm eaves gutter for outlet for 75mm pipe.	No.	2.00	
4	75mm Rainwater pipes fixed to walls with wall plugs to empty into rainwater tanks	m	14.00	
5	Extra over 75mm rain water pipe for 90° bends	No	4.00	
	30° benus			
6	Extra over 75mm rain water pipe for shoes	no	2.00	
	OARRIER TO COLLECTION			
	CARRIED TO COLLECTION			
	BILL NO.13 : GLAZING			
	GLAZING TO STEEL WITH PUTTY			
	4 mm Clear float glass:			
1	Panes exceeding n.e. 0,1m²	m²	2.00	
	CARRIED TO COLLECTION			
	BILL NO.14 : PAINTWORK			
	ON FLOATED PLASTER			
	Prepare surfaces and remove all loose material, apply one coat 'Plascon Merit Plaster Primer' and two coats 'Plascon Polvin Super Acrylic' paint:			

1	On interior walls.	m²	98.00	
	On exterior walls	m²	68.00	
	ON PLASTER BOARD			
	Prepare surfaces and remove all loose material, apply one coat 'Plascon Merit Plaster Primer' and two coats 'Plascon Professional Copolymer Acrylic' paint:			
2	On ceilings and cornices.	m²	40.00	
	ON METAL			
3	On windows (both sides measured).	m²	8.00	
4	On roof chapting	m²	52.00	
4	On roof sheeting	1112	52.00	
	ON WOOD, WOOD BOARD			
	ON WOOD, WOOD BOARD			
	Stop, sand down and prepare wood surfaces and apply three coats 'Plascon Woodcare' high gloss clear varnish:			
5	On exterior doors.	m²	8.00	
6	On exterior door frames.	m²	2.00	
	Stop, fill, sand down and prepare wood surfaces and apply one coat 'Plascon Oil Wood Primer', one coat 'Plascon Merit Universal Undercoat' and two coats' Plascon Super Universal Enamel' paint:			
7	On interior doors.	m²	16.00	
	CARRIED TO COLLECTION			
	Bill No 15; EXTERNAL WORKS			
	EXTERNAL WORK (Provisional)			

	BULK EXCAVATION			
	DOLK EXONYATION			
	Open face excavation in earth over sloping site:			
1	Open face excavation.	m³	30.00	
	Extra over bulk excavation in earth for excavation in:			
2	Soft rock.	m³	3.00	
3	Hard rock.	m³	Rate Only	
	CARTING AWAY/SPREADING ON SITE.			
	Extra over all excavations for spreading on site surplus excavated material (no allowance made for increase in bulk):			
	moreuse m wamp			
4	Off site to a dumping site to be found by the Contractor.	m³	35.00	
	SITE CLEARANCE, ETC.			
	Site clearance, etc.:			
5	Allow for clearing the area of the site to be built upon of all grass, weeds, shrubs, trees with trunks not exceeding 200mm girth, debris, etc., including grubbing up all roots, scoffling up as required and cart away all vegetation and debris.	m²	100.00	
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES			
	20Mpa/19mm Concrete			
6	600m wide x 50mm thick Apron cast in panels.	m³	2.00	
7	Rough formwork (degree of accuracy II) to sides not exceeding 300mm wide	m	34.00	

	CARRIED FORWARD			
	BROUGHT FORWARD			
	WATER STORAGE TANKS			
	Note: Rainwater tanks shall be without welded seams and of one piece moulded construction.			
	0.500 Live Bulleton de la constant de la	NI.	4.00	
8	2 500 Litre Polypropolene rotomoulded rainwater tank and fixing to tankstand (elsewhere) with 4mm galvanised wire approximately 10m long complete with 15mm brass tap with handle suitable for padlocklang.	No.	1.00	
9	Hole through top of tank lid for 10x75mm pipe.	No.	2.00	
10	1500 x 1500mm approximately 400mm high above the natural ground level tank stand built in 230mm SABS approved concrete brick wall with brickforce in each an every course on 15MPa 400mm wide x 200mm thick concrete footing casted against excavated suitable soil condition surf tr. n.e. 2m dp tank stand filled up with imprted filling material compacted in 100mm layers to 98% Mod. AASHTO maximmum density with 1800 x 1800mm x 100mm thick 20MPa concrete slab reinforced with Ref 195 mesh wire.	No	1.00	
	CARRIED TO COLLETION			
	C. and Edit of Collection			
	SECTION B			
	COMMUNITY HALL COLLECTION			
1	Bill No. 1 : Foundation			
-	S			
2	Bill No. 2 : Conc, Formwork, Reinforcement			
		1	l	

	DWM 0 M						
3	Bill No. 3: Masonry						
4	Dill No. 4 . Waters as fine						
4	Bill No. 4: Waterproofing						
_	Dill No. 5 : Doof Covering						
5	Bill No. 5 : Roof Covering						
6	Bill No. 6 : Carpentry & Joinery						
0	Bill No. 6 . Carpentry & Joinery						
7	Bill No. 7 : Ceiling Partition & Access Flooring						
	Tiooning						
8	Bill No. 8 : Iron Mongery						
_	327						
9	Bill No. 9 : Metal Works						
10	Bill No. 10 : Plastering						
11	Bill No. 11 : Tiling						
12	Bill No. 12 : Plumbing & Drainage						
13	Bill No. 13 : Glazing						
14	Bill No. : 14 : Paint Works						
15	Bill No. 15 : External Works						
	CARRIEN TO SUMMARY						
	BILL NO.18 : PROVISIONAL SUMS						
	ELECTRICAL INSTALLATION						
	Electrical installation:						
1	Provide the amount of R 5,000.00 (Five Thousand Rands) for Electrical Installation.	Item	1.00	R	5,000.00	R	5,000.00
	Profit on above item%	Item	1.00				
	Attendance on ditto%	Item	1.00				

	-	T	
CARRIED TO SUMMARY			
FINAL SUMMARY			
- HAVE GOMMARKE			
Prelimenaries & Generals			
Building Structure			
_			
Provisional Sum			
SUB TOTAL 1			
Allow monetary provisions to be omitted from the contract sum and used as directed by Project Manager as CONTIGENCY SUM @ 5% OF SUBTOTAL 1			
SUB TOTAL 2			
ADD VAT @ 15% OF SUB TOTAL 2			
TOTAL			