



**UMZIMVUBU**  
LOCAL MUNICIPALITY

Person dealing with this matter: Mr. N. Zibi

Date: 25/02/2015

**Request for Quotation**

The Umzimvubu Local Municipality invites interested service providers to provide us with. **Quotation: TO SUPPLY AND DELIVER EQUIPMENT FOR UMZIMVUBU POLE TREATMENT AS PER SPECIFICATION.**

**PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT OF 2011 WILL BE APPLYING AS FOLLOWS:**

**PRICE: 80**

**BBB-EE: 20**

Closing Date for submissions is 05/03/2015 @ 12:00 noon.

For any enquiries and specification, please contact Supply Chain Management Office @ Tel: 039 255 8555.

*NB: NO QUOTATION(S) WILL BE CONSIDERED FROM PERSON(S) IN THE SERVICE OF THE STATE AND COMPAN(Y)NIES NOT REGISTERED IN THE ULM SUPPLIER DATABASE.*

*THE FOLLOWING MUST BE ATTACHED: ORIGINAL OR CERTIFIED COPY OF THE CK DOCUMENT SHOWING ALL DIRECTORS, CERTIFIED COPY OF THE BBBEE VERIFICATION CERTIFICATE, DECLARATION OF INTEREST AND A VALID ORIGINAL SARS TAX CLEARANCE CERTIFICATE. FAILURE WILL RESULT IN DISQUALIFICATION.*

*SUBMISSION ARE TO BE MADE AT THE QUOTATIONS BOX AT SCM OFFICE. QUOTES SUBMITTED ELECTRONICALLY WILL NOT BE ACCEPTED.*

.....  
**MR GPT NOTA**

813 Main Street, Mount Frere  
P/Bag 9020, Mt Frere, 5090  
T. 039 255 0166| F. 039 255 0167  
www.umzimvubu.gov.za

**UPHULISO KUMNTU WONKE**





# UMZIMVUBU

LOCAL MUNICIPALITY

## Supply and delivery of the following equipment for the Umzimvubu Pole Treatment Plant Project

### Specification


#### 1. 4 x Chain saws

The Chain saws specification is as follows

- 4 point lock
- single lever master control with start, run and stop positions
- Filler caps opened and closed without tools
- Decompression valve for lower operator effort at start-up and elastostart.
- Hand guard with fixation of the chain catcher pin to the bumper spike
- Air filtering function.

TECHNICAL DATA	
Power	3.8kW
Displacement	72.2cm <sup>3</sup>
Weight without guide bar and chain	6.6kg
Fuel tank capacity	0.68 litter
Chain oil	0.36 litter
Bar length/s	63cm
Saw chain/s	3/8" Rapid-Micro and Rapid -Super
Maximum permissible engine speed with bar chain	12,500 rpm
Power to weight ratio	1,7 kg/kW

The company should also offer training (non-accredited) to 4 members of Mawusheni co-operative on safety and handling of the chain saw.

Approved 

## 2. Forest/ Bush equipment

ITEM	QUANTITY
16 inch Knife Machetes	4
Plain bush knives	4
hook bosh knives	4
Garden spades	4
Bowsaw 530mm prune saws ( with 2x spare blades	2
Bowasaw 900mm saws ( with 2x spare blades	2
1.8 kg axe	4
Pairs leather gloves	40
Dust masks	40