

Person dealing with this matter: Mr. N. Zibi

Date: 28/04/2015

## Request for Quotation

The Umzimvubu Local Municipality invites interested service providers to provide us with. Quotation: TO SUPPLY, DELIVER AND INSTALL PALISADE FENCING WITH SLIDING GATE FOR FRESH PRODUCE MARKET OF AGRICULTURAL PRODUCT AS PER SPECIFICATION.

PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT OF 2011 WILL BE APPLYING AS FOLLOWS:

PRICE: 80

BBB-EE: 20

NB// COMPULSORY BRIEFING IN MT FRERE TOWN HALL 04/05/2015@10H00

Closing Date for submissions 08 /05/2015 @ 12:00 noon.

For any enquiries and specification, please contact Supply Chain Management Office @ Tel: 039 255 8555.

NB: NO QUOTATION(S) WILL BE CONSIDERED FROM PERSON(S) IN THE SERVICE OF THE STATE AND COMPAN(Y)NIES NOT REGISTERED IN THE ULM SUPPLIER DATABASE.

THE FOLLOWING MUST BE ATTACHED: ORIGINAL OR CERTIFIED COPY OF THE CK DOCUMENT SHOWING ALL DIRECTORS, CERTIFIED COPY OF THE BBBEE VERIFICATION CERTIFICATE, DECLARATION OF INTEREST AND A VALID ORIGINAL SARS TAX CLEARANCE CERTIFICATE. FAILURE WILL RESULT IN DISQUALIFICATION.

SUBMISSION ARE, TO BE MADE AT THE QUOTATIONS BOX AT SCM OFFICE. QUOTES SUBMITTED ELECTRONICALLY WILL NOT BE ACCEPTED.

813 Main Street, Mount Frere P/Bag 9020, Mt Frere, 5090 T. 039 255 0166| F. 039 255 0167 www.umzimvubu.gov.za

UPHUHLISO KUMNTU WONKE



## Specification for Fresh produce market

Request for supply, delivery and installation of the 245m fully galvanized palisade fencing.

Item	Size	
Pales	17 pales per panel 50x2.0mm or 2,5mm cold formed pales 40x40x2.3mm Angle Twice holed for M8 round headed bolt	
Crossbars	2 crossbars per panel 40x40x2,3mm or 3.0mm Angle Iron 17 10mm hole to receive pale bolts	
Posts	1 Post per panel (2m height) 76x76x 1.6mm square Tubing Fibre Glass post cap	
brackets	Flatbar brackets to attach crossbars to post 29x3.0mm flat bar	
Nut and Bolts	38 per panel M8 Round headed bolt and anti-vandal nut	
Gap	108 mm gaps between pales	
Gate	Sliding gate which is 4 meters in width with padlock Gate must be fitted on a straight Rail system. (The Gate should be 4 meters in width	

Compulsory site briefing is necessary

Prepared By A.Jali		20-04-7015
M. Jali	Date	20 04 0010
Approved By Mr. M. Matam (LED Assistant Manager)	Dots —	
Nac 1 a	Date	
Authorized by WOULD		
Ms. L.S Batyi (LED Manager)	Da	te